

INTEGRATED & POWER AMPLIFIER ► SCORPIO SERIES

SCORPIO



Integrated amplifier; PP
2x45W or 2x30W Triode –switchable, 3x12AU7, 0dB NFB,
4 x Line-In, Auto-Fixed-Bias system & Tube test program;
Power Tubes: **4 x Ayon KT88** (standard)

€ 3.795,--

Remote Control - Option:

€ + 125,--

SCORPIO « Mono »



Mono-Power amplifier; PP
1 x 45W Pentode or 1x30W Triode –switchable,
1x 12AU7, 1x 12AX7, 1x RCA/I, Auto-Fixed-Bias system
Power Tubes: **4 x Ayon KT88** (standard)

€ 4.295,--

Pair

INTEGRATED & POWER AMPLIFIER ► KT150 SERIES

SPIRIT III & SPIRIT PA



Integrated or Power amplifier; PP
2x65W Pentode or 2x40W Triode -switchable, 2x12AU7,
4x 6SJ7, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In,
1 x Pre out, RC; Volume Control: MCU based with analog
resistor switching circuit. Auto-Fixed-Bias system & Tube test
program; Power Tubes: **4 x KT150 Tung-sol** (standard)

€ 5.890,--



Power amplifier; PP
Differential fully balanced gain-stage design; 2x70W Pentode,
2x45W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7,
0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube
test program; Power Tubes: **4 x KT150 Tung-sol** (standard)

TRITON III & TRITON PA



Integrated or Power amplifier; PPP
2x120W Pentode, 2 x 70W Triode -switchable, 2 x 12AU7,
4 x 6SJ7, 0dB NFB, RC, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct
In, 1x Pre out; Volume Control: MCU based with analog resistor
switching circuit. Auto-Fixed-Bias system & Tube test program;
Power Tubes: **8 x KT150 Tung-sol** (standard)

€ 9.950,--



Power amplifier; PPP
Differential fully balanced gain-stage design; 2x120W Pentode,
2x70W Triode -switchable, 2 x 12AU7, 2 x 12AX7, 4 x 6SJ7,
0dB NFB, 1 x In-RCA, 1 x In-XLR, Auto-Fixed-Bias system & Tube
test program; Power Tubes: **8 x KT150 Tung-sol** (standard)

EPSILON « Mono »



Mono-Power amplifier; PPP

1 x 180W Pentode or 1x100W Triode –switchable, 2x 6SJ7, 1x 12AU7, 1 x 12AX7, 0dB NFB, 1x Bal/I, 1x RCA/I, Auto-Fixed-Bias system & Tube test program;
Power Tubes: 12 x KT150 Tung-sol (standard)

€ 16.550,--
 pair

ORTHOS XS « Mono »



Mono-Power amplifier; PPP

Differential fully balanced gain-stage design; 1 x 280W Pentode or 1 x 170W Triode -switchable, 2x 6SJ7, 1x 12AU7, 1 x 12AX7, 0dB NFB, 1x Bal/I, 1x RCA/I, Auto-Fixed-Bias system & Tube test program;
Power Tubes: 20 x KT150 Tung-sol (standard)

€ 25.210,--
 pair

SET-INTEGRATED AMPLIFIER ► 6C33 SERIES

SPARK III



Integrated or Power amplifier; SET

2x20W, 2x6C33, 2x 12AU7, 2x6H30, 0dB NFB, 3 x Line In-RCA, 1 x Line In-XLR, 1 x Pre out, RC, Auto-Fixed-Bias system & Tube test program;

€ 4.995,--

SET-INTEGRATED & POWER AMPLIFIER ► AA62B-82B SERIES

SPITFIRE



Integrated or Power amplifier; SET

2x30W, **2xAA62B**, 2x 6H30, 2x 12AU7, 3 x Line In-RCA, 1 x Line In-XLR, 1x Direct In, 1x Pre Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;

€ 8.790,--

CROSSFIRE III & CROSSFIRE PA



Integrated or Power amplifier; SET

2x30W, **2xAA62B**, 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 3 x Line In-RCA, 1 x Line In-XLR, 1xDirect In, 1x Pre Out, RC, DHT, 0dB NFB; Volume Control: MCU based with analog resistor switching circuit. Auto-Fixed-Bias system & Tube test program;


€ 12.225,--

Power amplifier; SET

2x30W, **2xAA62B**, 2x 6H30, 4 x 6SJ7, 1 x 5U4G, 1x In-RCA, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;

CROSSFIRE EVO « Mono »		
	<p>Mono-Power amplifier; SE 1x 30W or 35W*, 1x AA62B, 1 x AA20B, 2 x 6SN7, 1x Ayon 5U4GMesh, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;</p>	<p>€ 23.995,-- Pair</p>
CROSSFIRE EVO	with AA82B*	Option + € 2.650,--
VULCAN EVO « Mono »		
	<p>Mono-Power amplifier; PSET 1x 55W or 60W*, 2x AA62B, 1 x AA20B, 2 x 6SN7, 1x Ayon 5U4GMesh, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;</p>	<p>€ 30.750,-- pair</p>
Vulcan EVO	with AA82B*	Option + € 5.250,--
TITAN EVO « Mono »		
	<p>Mono-Power amplifier; PSET 1x 75W or 85W*, 3x AA62B, 1x AA20B, 2x 6SN7, 1x Ayon 5U4GMesh, 1x RCA/I, 1 x XLR/I, DHT, 0dB NFB, Auto-Fixed-Bias system & Tube test program;</p>	<p>€ 57.540,-- Pair</p>
Titan EVO	with AA82B*	Option + € 8.160,--

SET-HEADPHONEAMPLIFIER

HA-3 MKII		
	<p>“State of the Art ”, Dual Chassis design; SE-Triode design with 2 x AA45 Mesh and super-permalloy Output transformers; separate “Low” and “High” Headphone jacks, Alps volume control, 2 x 12AU7; 1 x IN/RCA, External - Separated Power Supply & Choke regulated;</p>	<p>€ 3.870,--</p>

PREAMPLIFIER

CONQUISTADOR - Linestage



“State of the art / Cost-no-object” Linestage, Dual chassis design; 4 x AA45-Mesh, 4 x EC88; Separate External Tube Power Supply with 2 x 5U4G; 4 x Line RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, 1xTape out, RC, 4 channel VTC Volume control / 42 position - electronic-relay system;
LIMITED EDITION – 5 pcs. per year only !

€ 59.995,--

SPHERIS III - Linestage



“State of the art” Linestage, Dual chassis design; 4 x C3M 4 x EY91, Separate External Tube Power Supply with **AC~ Regenerator**; 4xLine RCA/I , 2x Bal/ I, 1xBal/O, 2x RCA/O, RC, 4 channel VTC Volume control / 42 position - electronic-relay system;

€ 33.210,--

POLARIS III



“State of the art” Preamp, Dual chassis design; 5x Line In / RCA, 1x Phono MC, 2x RCA/O, 1x Bal/O, External **AC ~ Regenerator** - Tube Power Supply & Choke regulated, 4 x C3M, 2 x 6H30, 4 x EY91, RC, 2 channel VTC Volume control / 42 position - electronic-relay system ;

€ 23.660,--

POLARIS III - Linestage

Without Phonostage MM/MC

€ 21.150,--

AURIS II



“Reference ” Preamp-Balanced , **Modular & upgradable design**; 4 x 6H30 PSE output stage, 4x Line In/RCA, 1 x HT/In, 2x BAL/In - XLR, 2x RCA/O, 1 x Tape Out, 1x Bal/O, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 10.120,--

NEW

“Reference ” Preamp-Unbalanced , **Modular & upgradable design**; 2 x 6H30 SE output stage, 4x Line In/RCA, 1 x HT/In, 2x RCA/O, 1 x Tape Out, 4 x 6Z4, Tube Power supply & Choke regulated, RC;

€ 7.600,--

NEW

Signature - Balanced

Top grade components

OPTION

+ € 2.050,--

Signature - Unbalanced

Top grade components

OPTION

+ € 1.050,--

PHONO II module

MM or MC-H (high output), MC **NEW**

OPTION

+ € 2.050,--

PHONOSTAGE

SPHERIS – Phono (Model 2018)



“State of the art ”, Dual Chassis design; 2 x MC (MC1 & MC2), 1 x Out/RCA, 1x Bal/Out, 2 x ECC81 or ECC82, 4 x 6SL7, 4 x EY91; External **AC ~ Regenerator** - Tube Power Supply & Choke regulated;

€ 29.995,--

NEW

CD - PLAYER

CD-10



SACD / CD-Player, Top Loader; **Modular & upgradable design**,
 2x 6H30 SE tube output stage, 1 x 6Z4 rectifier, RCA/O & Bal/O,
 Volume output control, RC;
PCM - Digital /IN: USB-24/384kHz, SPDIF, TosLink;
DSD - Digital /IN: USB -DSD;
Digital/Out: SPDIF;

€ 4.495,--

Signature

PCM-DSD converter for all PCM signals (DAC, USB and Streamer)
 Mundorf Supreme & Silver/Oil capacitors; **OPTION**

+ € 995,--

CD-35



SACD / CD-Player, "Reference" - Top Loader;
Modular & upgradable design,
 2 x 6H30 & 2 x 5687 SE tube output stage, RCA/O & Bal/O,
 Electric-Analog-Switch Volume output control system,
 2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;
 *2 x Line input – RCA, 1x Balanced input - XLR;
PCM-Digital/In: USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;
DSD - Digital /IN: USB -DSD; 3 x BNC for DSD (DSD-L, DSD-R &
 WCK);

€ 7.950,--

With analog Preamplifier

Quad electrical-analog volume control system with 3 pair analog
 line Inputs; ***OPTION**

+ € 760,--

Signature

PCM-DSD converter for all PCM signals (DAC, USB and Streamer)
 Mundorf Gold/Silver capacitors; **OPTION**

+ € 1.490,--

CD-35 « HF Edition »



SACD / CD-Player, "Reference" - Top Loader;
Modular & upgradable design,
 2 x 6H30 & 2 x 5687 SE tube output stage, RCA/O & Bal/O,
 Electric-Analog-Switch Volume output control system,
 2 x power transformer, Choke, 1 x GZ30Tube rectification, RC;
 2 x Line input – RCA, 1x Balanced input - XLR;
PCM-Digital/In: USB-24/384kHz, SPDIF, I2S, AES/EBU, BNC;
DSD - Digital /IN: USB -DSD; 3 x BNC for DSD (DSD-L, DSD-R &
 WCK);


€ 19.995,--

"HF Edition"

- ▶ 8 x V-cap TTF coupling capacitors;
- 4 x Franc Audio - Ceramic Feet;
- 2 x WBT-210 NextGen RCA Jacks;
- 20 x Tantalum 2 Watt resistors for tube output-stage;
- 2 x AKM 4497EQ for DAC;
- Black Finish for cooling slots, Top plate buttons, CD-LID and CD-inside housing;
- All important components are matched at 1% level. **Limited at 50 pieces & only 1 piece per month is produced!**


CD - TRANSPORT

CD-T II

	<p>CD-Transport, "Reference" - Top Loader; 2 x 6H14 tube buffer for digital output - switchable, 2x power transformer, Word Sync In, RC; <u>PCM-Digital/ Tube-Out</u>: SPDIF, AES/EBU, BNC, <u>PCM-Digital/Transistor Out</u>: I2S, SPDIF, AES/EBU, BNC, TosLink; *DSD - Digital /Out: 3 x BNC for DSD (DSD-L, DSD-R & WCK);</p>	<p>€ 5.995,--</p>
Signature	<p>* PCM-DSD converter for CD-PCM signals; Second 6H14 tube activated</p> <p style="text-align: right;">OPTION</p>	<p>+ € 995,--</p>


COMBO OFFERING

CD-T II Signature & SIGMA/STEALTH/STRATOS


	<p>CD-Transport, "Reference" - Top Loader; 2 x 6H14 tube buffer for digital output - switchable, 2x power transformer, Word Sync In, RC; <u>PCM-Digital/ Tube-Out</u>: SPDIF, AES/EBU, BNC, <u>PCM-Digital/Transistor Out</u>: I2S, SPDIF, AES/EBU, BNC, TosLink; *DSD - Digital /Out: 3 x BNC for DSD (DSD-L, DSD-R & WCK); * PCM-DSD converter for CD-PCM signals; Second 6H14 tube activated</p>	<p>Set Prices</p> <p style="color: red; font-weight: bold; margin-top: 20px;">NEW</p>
	<p style="text-align: right;">With D/A -Converter : Sigma</p> <p style="text-align: right;">With D/A -Converter : Stealth</p> <p style="text-align: right;">With D/A -Converter : Stratos</p>	<p>€ 9.380,--</p> <p>€ 12.250,--</p> <p>€ 14.950,--</p>

DIGITAL/ANALOG - CONVERTER (DAC)


SIGMA

	<p>D/A -Converter 2 x 6H30 SE tube output stage, 1 x 6Z4 tube rectifier, RCA/O & Bal/O, 24/192kHz up-sampling, Volume output control, RC; <u>PCM - Digital /IN</u>: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink, <u>DSD - Digital /IN</u>: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);</p>	<p>€ 3.995,--</p>
---	---	--------------------------



STEALTH

	<p>D/A -Converter 4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 2 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Electric-Analog-Switch Volume output control, RC; <u>PCM - Digital /IN</u>: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink, <u>DSD - Digital /IN</u>: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);</p>	<p>€ 6.995,--</p>
---	---	--------------------------


STRATOS

	<p>D/A -Converter 4 x 6H30 PSE tube output stage, 4 x 6Z4 tube rectifier, RCA/O & Bal/O, 3 x Line /IN, 1 x Tape out, 24/192kHz up-sampling, Dual Electric-Analog-Switch Volume output control, RC; <u>PCM - Digital /IN</u>: USB-24/192kHz, SPDIF, BNC, AES/EBU, I2S, TosLink, <u>DSD - Digital /IN</u>: USB -DSD, I2S/DoP, 3 x BNC for DSD (DSD-L, DSD-R & WCK);</p>	<p>€ 9.950,--</p>
---	--	--------------------------


NETWORKPLAYER ▶ PCM SERIES

S-3 « Junior »		
	<p>Network Player, Single Chassis design; 2 x 6922 tube output stage, 2x 6Z4 tube rectifier, Choke, RCA/O & Bal/O, 2 x Line /IN-RCA, 1 x Line /OUT, 24/192kHz up-sampling, Electric-Analog-switch Volume output control system, RC; <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A"; <u>Digital/Out:</u> SPDIF; Ethernet-LAN & WiFi</p>	€ 3.995,--
S-5		
	<p>Network Player, Dual chassis design; 4 x 6H30 PSE tube output stage, 4x 6Z4 tube rectifier, Dual Choke, 3 x Power transformer, RCA/O & Bal/O, 2 x Line /IN- RCA, 1 x Line /OUT, 24/192kHz up-sampling, ADC In/RCA - 24/192; Dual Electric-Analog-switch Volume output control system, RC; <u>Digital/IN:</u> BNC, SPDIF, AES/EBU, TosLink, I2S, 2x USB-Type "A"; <u>Digital/Out:</u> SPDIF; Ethernet-LAN & WiFi</p>	€ 15.125,--

NETWORKPLAYER ▶ PCM & DSD SERIES

S-10		
	<p>Network Player, Modular & upgradable design, 2 x 6H30 tube output stage, RCA/O & Bal/O, RC; Tidal, Room ready; Streamer: All PCM and DSD formats, 2x USB-Type "A"; <u>Digital/IN:</u> SPDIF, TosLink, USB 24-192 & DSD, USB-Type "B"; <u>Digital/OUT:</u> SPDIF; Ethernet-LAN & WiFi <u>Analog/IN:</u> Line 1/RCA & Line 2/RCA</p>	€ 5.995,--
Signature	PCM-DSD converter for all PCM signals (DAC, USB and Streamer) Mundorf Gold/Silver capacitors; OPTION	+ € 1.845,--

NETWORK-TRANSPORT ▶ PCM & DSD SERIES

NW-T / DSD		
	<p>Network Transport 6H14 tube buffer for digital output (SPDIF & AES/EBU), 1x 6Z4 tube rectifier, Volume output control system, RC; <u>Digital/IN:</u> 2x USB-Type "A"; Ethernet-LAN & WiFi <u>PCM - Digital/Out:</u> SPDIF, BNC, AES/EBU, I2S, TosLink, <u>DSD Digital/Out :</u> I2S/DoP, 3 x BNC (DSD-L, DSD-R & WCK);</p>	€ 4.295,--
NW-T / DSD Upgrade KIT		
<p>DSD Upgrade Kit for existing NW-T's</p>	<ul style="list-style-type: none"> ➤ New rear panel including all DSD outputs, ➤ New DSD main-board and MCU, ➤ Add I2S/DoP board, ➤ New DSD Firmware. 	€ 995,--

Distributie Benelux: Mafico BV, Bergschenhoek, tel. 010-4148426. www.mafico.com



Ayon® is a registered Trademark, all rights reserved incl. changes in price and specifications. Payment strictly in advance.
 This price sheet replaces all previous price sheets.

Fabrikant Ayon Oostenrijk: www.ayonaudio.com